

BOS[®]
Medicare Surgical



MEDICAL & SURGICAL

EQUIPMENTS

Dressing Drum (Jointed)

Size in (Inches) DxH	Size in (MM) DxH
5 x 5	145 x 125
6 x 5	165 x 125
6 x 6	165 x 150
7 x 7	190 x 176
8 x 6	210 x 150
8 x 8	210 x 200
9 x 5	235 x 125
9 x 9	235 x 230
10 x 9	280 x 230
11 x 5	285 x 125
11 x 9	285 x 230
11 x 18	285 x 460

Size in (Inches) DxH	Size in (MM) DxH
12 x 10	305 x 255
13 x 6	355 x 150
13 x 9	355 x 230
14 x 5	360 x 125
14 x 9	360 x 230
14 x 10	360 x 255
15 x 10	390 x 255
15 x 12	390 x 305
18 x 12	475 x 305



- Product mentioned as "Economy" are made of light guage.
- Product mentioned as "Deluxe" are made of higher guage.
- Available in 304 grade S.S. with reasonable minimum order.
- Available Dia from 5" to 18" as per Requirement with reasonable minimum order.
- Dressing Drums are measured from hinges to hinges.
- All Sizes are approximate.

Dressing Drum (Joinless)

Size in (Inches) DxH	Size in (MM) DxH
6 x 6	165 x 165
8 x 7	205 x 180
9 x 5	230 x 125
9 x 9	230 x 230
11 x 5	280 x 125
11 x 9	280 x 230
12 x 10	310 x 250
14 x 5	370 x 130
14 x 19.5	370 x 240
15 x 12	390 x 305

- Product mentioned as "Super Deluxe" are made of heavy guage.
- Available in 304 grade S.S. with reasonable minimum order.
- Dressing Drums are measured from hinges to hinges.
- All Sizes are approximate.



Instrument Tray

Size in (Inches)	Size in (MM)
8 x 6	200 x 150 x 48
9 x 5	230 x 125 x 50
9 x 6	230 x 155 x 48
10 x 8	255 x 200 x 48
11 x 7	280 x 180 x 48
12 x 8	305 x 205 x 48
12 x 10	305 x 255 x 48
14 x 10	355 x 255 x 48
15 x 12	380 x 305 x 50
18 x 12	455 x 310 x 50

- Products Available with & without cover.



Catheter Tray

Size in (Inches)	Size in (MM)
8 x 3	205 x 80 x 36
8 x 3.25	205 x 85 x 45
8.75 x 3.25	222 x 82 x 41
16 x 4	405 x 110 x 48



- Products Available with & without cover.

Kidney Tray

Size in (Inches)	Size in (MM)
6"	160 x 77 x 351
6"(Special)	65 x 88 x 38
8"	205 x 105 x 40
10"	245 x 110 x 40
10" x 6"	255 x 155 x 40
12"	305 x 140 x 42
12" (Special)	305 x 140 x 50



- Product available with & without cover.
- Product mentioned here as special has extra depth.
- All sizes are approximate & measured outer to outer.

Deep Tray

Size in (Inches)	Size in (MM)
9.5 x 5 x 2.5	240 x 130 x 63
12 x 6 x 2.75	300 x 155 x 68
12 x 8 x 2.5	310 x 195 x 63
15 x 12 x 2.25	380 x 305 x 60



- Product available with & without cover.
- All sizes are approximate & measured Inner to Inner.

Baby Tray without Cover

Size in (Inches)	Size in (MM)
18 x 12 x 2.5	455 x 310 x 66



- Product available with & Handle also.
- All sizes are approximate & measured outer to outer.

Gallipot

Capacity	D x H Size (MM)
60ml	50 x 30mm
112ml	60 x 40mm
175ml	75 x 45mm
225ml	80 x 50mm

- Available available in 300 grade.
- All Sizes & capacity are approximate.



Forcep Jar

Model Size in (Inches)	D x H Size (MM)
BSM Forcep Jar 2 x 4	50 x 100mm
BSM Forcep Jar 2 x 5	50 x 125mm
BSM Forcep Jar 2 x 6	50 x 150mm
BSM Forcep Jar 2 x 7	50 x 180mm

- Available available in 304 grade.
- All Sizes & capacity are approximate.



Irrigator Douche Can

Capacity	D x H Size (MM)
1000ml	105 x 135mm
1000ml	125 x 130mm
1500ml	125 x 145mm
2000ml	-

- Available available in 304 grade.
- All Sizes & capacity are approximate.



Basin

Capacity
1850ml
2550ml
4200ml
6500ml

- Capacity & Size measured approximate.



Bed Pan Female



Bed Pan Male



Size in (MM)

355 x 290 x 70mm

350 x 285 x 90mm

- Also Available in 304 Grade
- All sizes are Approximate.

Size in (MM)

365 x 235 x 70mm

295 x 90mm

- Also Available in 304 Grade
- All sizes are Approximate.

Urinal (Male /Female)



Capacity

800ml

- Also Available in 304 Grade
- Capacity is Approximate

Spitting Mug



Capacity

450ml

D x H Size

100 x 50mm

- Sizes and Capacity are Approximate.

Instrument Sterilizer (Elec.)

Size in (Inches)	Size in (MM)
8 x 4 x 3.5	205 x 100 x 90
8 x 5 x 4.5	205 x 125 x 120
10 x 5 x 4.5	255 x 125 x 120
12 x 6 x 6	305 x 155 x 150
14 x 6 x 6	355 x 155 x 150
16 x 6 x 6	405 x 155 x 150
16 x 8 x 8	405 x 205 x 200
18 x 8 x 8	460 x 250 x 200
20 x 8 x 8	510 x 205 x 200
24 x 8 x 8	610 x 205 x 200
24 x 10 x 8	610 x 255 x 200
24 x 12 x 8	610 x 350 x 200
24 x 12 x 12	610 x 305 x 305

- Are fitted with backalite / good quality plastic handle & four legs.
- Are electrically fitted with 1KW-2KW single phase element of 220V/50 Hz as per sizes & three core wire.
- Are available with thermostat to control temperature of water from size 12" onwards. (kindly add "T" with regular code.)
- Are available with thermostat and tray lifting arrangement from size 12 onwards. (kindly add "TL" with regular code.)
- Also available with auto-cut off element for all sizes. (kindly add "A" with regular code.)
- Product mentioned as "Economy" are made of light gauge as per size.
- Product mentioned as "Deluxe" are made of higher gauge as per size.
- Also available in 304 grade S.S. with reasonable minimum order.
- All Sizes are approximate.
- Product can be available in various sizes as per customer requirement.



Instrument Sterilizer (Seamless)

Size in (Inches)	Size in (MM)
12 x 6 x 5	300 x 155 x 130
16 x 6 x 5	410 x 155 x 130
17 x 8 x 6	430 x 205 x 150
20 x 8 x 6	510 x 250 x 150

- Product mentioned as "Economy" is having 304 grade body and J4 grade cover & perforated tray.
- Product mentioned as "Deluxe" is completely made of 304 grade.
- Product is completely fitted with thermostat and tray lifting arrangement but can be made available without thermostat and tray lifting arrangement.
- Product also available with plain immersion element or auto-cut off.
- Product electrically fitted with 1KW-2KW single phase element of 220V/50 Hz as per sizes and three core wire.
- Lifting arrangement can be made as per Jointed Instrument Sterilizer.



Fumigator (Aerosol) Sterilizer

Capacity
1.5
5

- Fumigator converts formalin in to Aerosol form which is 100% biocidol with an adequate of penetrability to destroy every spores.
- Fumigator works with an amazing quickness. Its powerful mechanism instantly converts liquid formalin into true aerosol particles. The portable handy and easy to operate unit can be handled by any staff member or even a room boy. There is virtually no maintenance required.
- Every Fumigator passes through stringent quality control tests at various stages of manufacturing before it reaches you.
- Max Height: 390mm, weight: 8.5kg. (Approx).
- Atomazing Capacity: 30-50 ml/min.
- Also available with "Timer" kindly add 'T' with regular code.



Autoclave Six Wing Nut Aluminium

Sizes in (Inches) D x H	Capacity In Litres
12 x 12	20
12 x 15	25
14 x 15	35

- Deep Drawn Seamless body made of Aluminum, Polished with S2 finish.
- Ring and Lid made of heavy aluminum casting polished with SS finish. (Ring & lid Also available with Black powder coated color on customer request in Deluxe model only.)

Features:

- Available in Electric/Non Electric (Fuel based).
- Kindly add 'E' for electric & 'NE' for non electric with code.
- Electric Autoclave is fitted with heating elements of 2 KW to 3 KW as per Auto Clave Size in single phase 220V/50 HZ.
- Good quality rubber gasket.
- Max pressure 15 PSI/ lb / inch.
- Equipped with Double safety valve, steam release valve and vacuum. release valve.

(In double safety valve one weight valve (Safety valve) is set at 15 to 17pound with pressure regulating devices & another weight valve (Safety Valve) is set at 18 to 21 pound & it is whistle type.

(Note: In double chamber for 14 x 22 & above size we fit brass spring safety calve which is set at 15-17 pound.)

- Well Designed Epoxy Coated outer stand in normal six wing nut & three i.e. in double chamber.
- All Sizes & Capacity are Approximate.



Autoclave Six Wing Nut Stainless Steel

Sizes in inches D x H	Capacity in Liters
12 x 12	20
12 x 15	25
12 x 22	40

- Deep Draw Seamless body made of 304 Grade stainless steel in sizes 12 x 12 & 12 x 15.
(Please note-Jointed body also available in 12 x 12 & 12 x 15 against customer requirement which is non 304 grade & It is a cheaper quality.)
- Jointed Body made of non 304 grade stainless steel material in 12 x 22. Jointed 304 grade Stainless steel body is also available on customer request)
- Ring made of aluminum casting & Lid made of aluminum casting with S.S. plate.
(SS Ring & full SS plate made of 304 grade Stainless steel also available on customer request. Also we don't recommended NON 304 Grade on ring & plate as it will catch rust earliest).
- Also available with TT-91 P.I.D. controller with timer, L.L.C. (Low level water cut off device) & Buzzer in electric model.



Features:

- Available in Electric / Non Electric (Fuel based).
- Kindly add 'E' for electric & 'NE' for non electric with code.
- Electric Autoclave is fitted with heating elements of 2 KW to 3 KW as per Auto Clave Size in single phase 220V/50 HZ.
- Good quality rubber gasket.
- Max pressure 15 PSI/ lb / inch.
- Equipped with Double safety valve, steam release valve and vacuum release valve.
*(In double safety valve one weight valve (Safety valve) is set at 15 to 17pound with pressure regulating devices & another weight valve (Safety Valve) is set at 18 to 21 pound & it is whistle type.
(Note: In double chamber for 14 x 22 & above size we fit brass spring safety calve which is set at 15-17 pound.)*
- Well Designed Epoxy Coated outer stand in normal six wing nut & three i.e. in double chamber.
- All Sizes & Capacities are Approximate.

Autoclave Six Wing Nut Stainless Steel

Sizes in inches D x H	Capacity in Liters
9 x 12	12
9 x 16	16
12 x 14	25
12 x 17	31
12 x 22	40
14 x 15	37
14 x 19	47

- Available in Electric/Non Electric (Fuel Based).
- Also available with Semi-Automatic (Timer Based).
- Special Features as per Autoclave Cooker Type Aluminium.
- All sizes are approximate.



Epoxy Coated

Heating Elements



(1kw St), (1.5kw St)



(2kw St)



(6kw High Pressure)



(6kw Kettle)



(1kw Cooker)



(1.5kw Cooker)



(1.5kw ISI Cooker)



(1kw Cooker)



(2kw ISI Cooker)

Resuscitator Bag (Adult)

Deluxe

Superdeluxe

Features:

- 1600ml/ 2000ml. Approx folding silicon bellow.
- Non Rebreathing Valve.
- No.4 Mask
- 360° Degree swiveling patient connector.
- Standard 15mm inside / 22mm outside diameter.
- Corrugated tube PVC or Oxygen reservoir with valve.
- 1.5 mtr Oxygen Tube.
- Product available in Three colors: White, Green, Blue.



Resuscitator Bag (Child)

Deluxe

Superdeluxe

Features:

- 500ml. Approx folding silicon bellow.
- Non Rebreathing Valve with Pressure release.
- No.1 Mask
- 360° degree swiveling patient connector.
- Standard 15mm inside / 22mm outside diameter.
- Corrugated tube PVC or Oxygen reservoir with valve.
- 1.5 mtr Oxygen Tube.
- Product available in Three colors: White, Green, Blue.



Resuscitator Bag (Infant)

Deluxe

Superdeluxe

Features:

- 250ml. Approx folding silicon bellow.
- Non Rebreathing Valve with Pressure release.
- No.0 Mask
- 360° Degree swiveling patient connector.
- Standard 15mm inside / 22mm outside diameter.
- Corrugated tube PVC or Oxygen reservoir with valve.
- 1.5 mtr Oxygen Tube.
- Product available in Three colors: White, Green, Blue.



Bain Circuit



Bain Circuit (Adult)



Bain Circuit (Child)

Rebreathing Bag



Rebreathing Bag Green



Rebreathing Bag Black

Resuscitator Bag (Child)

Small

Medium

Large

Features:

- Single Piece round shape made up of Autoclavable Poly-carbonate material.
- Trauma Free silicon neck, Adjustable flap.
- Bilateral Oxygen Nozzle, Prevents direct flow of Cold Oxygen on Patient's Head.
- Height approximate :7.5 inches
- width approximate : 8.5 inches



Flowmeter

Variants:

- Oxygen Fine Adjustment Valve With Flowmeter
- Oxygen Fine Adjustment Valve With Rotameter & Humidifier Bottle
- Oxygen Flowmeter Pipeline With Humidifier Bottle



Syringe Needle Destroyer (Electric)



BSM-SND1E



BSM-SND2E



BSM-SND3E



BSM-SND4E

Syringe Needle Destroyer (Manual)

Features:

- Needle And Syringe Destroyer Manual Hub cutter
- Dispose medical hazardous waster separately as per government guidelines.
- This is used to minimize needlestick injuries to prevent transmission of blood-borne infections such as Hepatitis B and HIV
- In other words, this is used to improve injection safety.
- This is used to destroy the disposable or autodisable (AD) syringe after use.
- Dimension : 123mm x 80mm



Laryngoscope

Features:

- Laryngoscope 3 Blade Miller Blade Size 2,3,4 Adult.
- High Quality laryngoscopes in autoclavable stainless steel Blades available in sizes 2, 3, 4 Miller

4 Blades S.S Finish



2 Blade Dull Finish



Dissection Kit Set

Blades-2 Forceps-2 Needles-3

Features:

- Dissection Kit
- Medical students
- Surgical set
- Biology Lab


(Bos medicare surgical premium quality stainless steel dissection kit set with tools for medical students of anatomy, biology, veterinary, marine biology with case and scalpel .



Dissection Kit Set

Features:

- Set of 8 Double Ended Dilators
- Φ 3.0/4.0mm - 17.0/18.0mm
- Rounded tips, Slightly Oppositely Curved
- Smooth Satin Chrome Finish
- Exemplary Craftmanship



Dissection Kit Set

Features:

- ENT Diagnostic Brass Complete Set
- ENT Diagnostic | Doctor instrumental
- Diagnostic Brass Complete Set
- SET OF Diagnostic Brass Complete Set
- The ENT diagnostic set, doctor needs



Knee Hammer

T-Type
with Pin Brush



Triangular Shape
with Pin Brush



Queen Square
with Pin Brush



Features:

- The weighted head and soft rubber collar is perfectly suited in provoking myotatic responses
- Flexible Nylon handle consists of a slender tapering handle.
- The tapered point is suited for eliciting plantar and abdominal responses.
- However, the strength of the stimulus used to extract the reflex also affects the magnitude of the reflex.
- Attempts have been made to determine the force required to elicit a reflex, but vary depending on the hammer used, and are difficult to quantify.

Otoscope

Features:

- BOS MEDICARE Color LED lamps come standard ! The SureColor LED lamp technology is designed to provide the exact light you need for ear examination.
- One of the most durable, pocke-style otoscope on the market today, based on rigorous drop test versus leading competitors.
- Fiber optics provide cool light with no reflections or obstructions
Portable, to help you meet the challenges you face when treating patients



Electric Infrared Lamp

Features:

- Precisely designed
- Easy installation
- Rust resistance

Due to the presence of our skilled team members, we have been able to present a wide variety of Infra Red Lamp Table Model 150 W. These products are specifically designed from superior quality components and using advance technologies. Some of the prominent merits of our devices are its application specific design, consistent performance and dimensional accuracy. Besides this, these are commended for their unmatched quality and consistency.



Infantometer

Sizes in (Inches)	
5" x 18"	7" x 18"

Features:

- Type: Hard Tape
- Body Material: Acrylic
- Length: 45 Metric
- Blade Material: Plastic

(Sleek Broad Acrylic Base With One Sliding Side Adjustable As Per Length Of Baby, Dual Scale For Direct Reading In Cms / Inches Upto 90Cm. Sliding Sides For Easy Storage, Baby Can Comfortably Lay On The Chest Of The Scale.



Stethoscope

Features:

- Light Weight 44mm Aluminium chrome plated chest piece
- Weight : 225 gms.*
- Epoxy Powder coated screw-on-ring.
- Excellent diaphragm with regular soft sealing eartips.
- Automatically correct light weight Headset and comfortable angled.
- Included Spare diaphragm and ear tips.
- Single Lumen tubing available in All Colors.



Tongue Depressor

Features:

- Tongue Depressor Made from Non Magnetizing
- L-Shape
- Tongue Depressor-Set of 3
- Available : Wooden, Stainless Steel



X-Ray Viewer Box

Features:

- X-Ray Single Film LED with automatic sensor & adjustable Dimmer
- Viewing Area : 30×1015 Hz to 30×1018 Hz
- Display Type : LED
- Section : 1
- Power Requirement : 15 W
- Power Consumption : 15 W



Vacuum Extractor Glass Jar

Features:

- Vacuum Extractor Set, Malmstrom Type, manual operated.
- Complete with 3 S.S. Cups, (40,50, 60mm)
- Silicone/PVC tubes
- Traction handle
- Suction pump
- Plastic jar in between top and bottom plastic plates fitted with vacuum gauge and control valve.
- Packed in case.



Vacuum Cups with Rubber

Features:

- Martensitic Steel
- Corrosion Resistant Quality
- Hardened to avoid wearout and tear on sharp edges for a long life.



Vacuum Extractor Polycarbonate Jar

Features:

- Vacuum Extractor Set, Malmstrom Type, manual operated.
- Complete with 3 Silicon Cups With release valve (40mm, 50mm, 60mm)
- Pressure tube
- Traction Handle
- Suction Pump
- Polycarbonate (Autoclavable) jar in between top and bottom metal fitted with vacuum gauge and control valve.
- Packed in plastic case.



Vacuum Cup Silicon

Features:

Sizes in (MM)		
50mm	60mm	70mm

- It is extensively acknowledged for conveying high durability and dimensional accuracy.
- Silicon Cups for Vacuum Extractor.
- With Release Valve.
- Silicon Vacuum Suction Cup.



Silico Cups without Valves

Features:

Sizes in (MM)		
50mm	60mm	70mm

- Color : Blue
- Type : Silicone Vacuum Cup with Metal Release Valve

It is made of High grade transparent silicone rubber, Latex Free & Auto clavable at 134°C. It can be used with any suction machine or gauge & used directly with manual vacuum extractor for delivery. It is manual. That's why, It can be used without electricity. It is used to use in manual delivery.



Protoscope

Features:

Sizes Available		
Small	Medium	Large

- A proctoscopy is a safe and simple procedure with minimal risks including allergic reactions to the sedatives used, if any, and the possibility of bleeding.
- Proctoscope is a procedure used to diagnose problems with your rectum and anus.
- Usually with a tiny light at the end, that can also be used to take tissue samples for biopsies as a cancer screening tool.



Sims Speculam Stainless Steel

Features:

Sizes Available		
Small	Medium	Large

- Double ended medium blades
- Made from Premium OR grade material
- Corrosion free material
- Non-sterile and reusable



Cusco Speculum

Features:

Sizes Available		
Small	Medium	Large

- Vaginal speculum - CUSCO
- Stainless steel
- A vaginal speculum is a device, usually made of metal, which your gynecologist utilizes to open your vaginal walls



Two Fold Stretcher

Features:

Unfolded Size (cms)	203 x 55 x 10 (cms)
Folded Size (cms)	101 x 16 x 8 (cms)
Net. Wt.	5kg.
Gross Wt.	6kg.

- Stretcher is easy, lightweight, & incredibly strong made from top grade aluminum alloy
- This industrial strength collapsible stretcher stores away compactly in it's carrying case
- Comes with two heavy duty straps with over-sized buckles for secure patient transport
- Extra thick PVC sheet is stain resistant, fireproof, & will hold its rigidity for years
- The folding aluminum frame comes with thick rubber pads to prevent scratching of floors



Cuff Weight Brace

Features:

Sizes Available
½ / 1 / 2 / 3 / 4 / 5kg.

- Easy to apply o wrist or ankle.
- Sewn weight pockets permit the cuffs to bend freely and conform to a wrist or an ankle.
- Used for Physiotherapy/ Exercise.



Exercise Ball

Features:

- Soft, High elasticity and light weight.
- Superior grip useful in Strengthening Hands, Finger and for Arm.



Finger Exerciser

Features:

- Size : Universal
- Material : Plastic
- Directions : For Physiotherapy Use
- Weight : 50gm
- Strengthens weak fingers.
- Light weight, Made of Plastic
- Springs provide strength to Fingers



Centrifuge Machine

Features:

- 8 Tubes of 15 ML with 3500 RPM
- 5 step Regulator With Heavy Duty Motor
- Durable Material Vaccum Rubber Feets
- Balanced ABS Head For Vibration free Movement
- Copper Winding Motor
- Suction Type Rubber Feets
- Ideal For Collection Centers and Small Lab



Centrifuge Machine

Features:

- Copper winding motor
- 3500 rpm
- Fixed angle rotor
- Comes with 4,6,8 spare tubes & 1 set of carbon
- Number of Memory Sticks : 1
- Product Dimensions : 20 x 21 x 26 cm
- Item Size : 26cm x 21cm
- Wattage : 150W



RBC Pipette

Features:

A glass tube having a uniform bulb which contains a red bead (for RBC). The tube is white back with permanent graduations and the tip of the tube is finely ground and beveled to ensure precise sampling and delivery. The other end of the glass tube is fitted with a 20cm latex or transparent PVC mouth piece tubing.



Funnel Plastic

Features:

- Material : Plastic
- Colour : Transparent
- Dimension: 3 inch (75mm.)
- This image represent actual product through colour of the image and product size may slightly differ
- Available in different sizes. Discount of bulk order



Fogger Machine

Features:

- The unit has a vertical adjustable head and can be rotated horizontally to gain better direction, maximum results and greater efficiency.
- Compact design and low weight utilizes very little space and the unit can be installed without making any structural changes or modifications.
- The unit comes pre-fitted with a liquid flow control valve for ease of use. Fog output is controlled with this valve. Higher the volume of output, larger will be the fog particles and vice versa, Tank Capacity Approx. : 5 Liter of chemical storage Supplied with 60 Minutes Timer.
- Highest area coverage as compared to any other conventional fogger in its category
- Fogger Machine for Fumigation & Sanitization. Stainless Steel body to ensure portability & resist chemical attack.



Tourniquet

Features:

- Stretchy strap with plastic buckle allows for easy adjustment.
- Highly flexible & Gentle on the skin.
- Suitable for children and Adults. Non sterile and individual packed.

Strong buckle grip which never come out without Pressing the side button/knob of the buckle



Test Tube Holder

Features:

- Good quality material
- Provided with wooden holder
- Can be use with hot tube also



Suction Apparatus

Features:

Suction Apparatus trolley model cabinet is available in $\frac{1}{4}$ (0.25) Hp and $\frac{1}{2}$ (0.5)Hp. It is fixed with long pressure tubing, vacuum control automatic over flow cut-off device mounted on good quality two rubber wheel & stainless steel top.

Product available in $\frac{1}{4}$ (0.25) Hp, fitted with two graduated 1.5 ltrs Glass jars with airtight synthetic rubber lid. Product available in $\frac{1}{2}$ (0.5)Hp tis fitted with two graduated 2ltrs. Poly carbonate jar/iglass jar with air tight synthetic rubber lid. Product available in mild steel epoxy coated body or complete stainless steel body.

Technical Specification

- Mild Steel Cabinet Duly Epoxy Powder Coated.
- Stainless Steel Top. Carry Handle M.S.
- Suction Motor 25 HP (1/4 HP)
- Oil Immersed Vacuum Pump.
- Vacuum Control Regulator
- 62mm Dia. Vacuum Gauge.
- Vacuum Range 0 to - 700mm/hg.
- 2x1750 MI Graduated Glass Jars.
- Over Flow Cut Off Device.
- Bacterial Filter
- Patient Tubing with Adopter



Optional 2x2000ml Graduated Polycarbonate Jars

Pedal Suction Apparatus

Features:

Foot operated suction apparatus with vertical heavy pump with one graduated glass suction jar of 1.6ltrs. capacity, with airtight synthetic rubber lid, long pressure tubing mounted on heavy base epoxy powder coated.-Product available with three metal cannula.

- Pedal suction apparatus for patients
- Negative pressure back-reduction while being
- Reservoir capacity : 1000ml
- Pedal pressure : 245n
- Weight : 4.5Kg



Foot Suction Apparatus

Features:

Foot operated suction apparatus with horizontal heavy pump with two glass suction jars of 750ml each capacity, with air tight synthetic rubber lid, long pressure tubing mounted on heavy epoxy coated base/stainless steel base.

- Base M.S. Sheet with Epoxy Coated
- Base Stainless Steel sheet



Scissors



Aries Scissors

Size : 110mm / 4.5" approx
Economy - Deluxe
(Available in Straight & Curved)



**Dressing Scissors
Sharp Curved**

Size : 150/200mm (6"/8" approx)
Economy - Deluxe



**Dressing Scissors
Sharp Straight**

Size : 150/200mm (6"/8" approx)
Economy - Deluxe



**Dressing Scissors
Sharp Blunt Curved**

Size : 150/200mm (6"/8" approx)
Economy - Deluxe



**Dressing Scissors
Sharp Blunt Straight**

Size : 150/200mm (6"/8" approx)
Economy - Deluxe



**Dressing Scissors
Sharp Blunt Straight**

Size : 150/200mm (6"/8" approx)
Economy - Deluxe



Mayo's Scissors

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Metzenbaun Scissors

Size : 150/175/200mm (6"/7"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Tailor Scissors

Size : 200mm (8" approx)
Economy - Deluxe



Episiotomy Scissors

Size : 150mm (6" approx)
Economy - Deluxe



Stitch Cutting Scissors

Size : 150mm (6" approx)
Economy - Deluxe



Bandage Scissors

Size : 150/200mm (6"/8" approx)
Economy

Forceps



Artery Forcep

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Allis Tissue

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Mosquito Forcep Straight

Size : 125mm (5" approx)
Economy - Deluxe
(Available in Straight & Curved)



Kocher's Forcep

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Needle Holder Forcep

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Babcock Forcep

Size : 150/200mm (6"/8" approx)
Economy - Deluxe
(Available in Straight & Curved)



Ovum Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Cheatle Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Sponge Holding Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Vulsellum Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Tebaculum Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Sinus Forcep

*Size : 250mm (10" approx)
Economy - Deluxe*



Intestinal Forcep

*Size : 200mm (8" approx)
Economy - Deluxe
(Available in Straight & Curved)*



Right Angled Forcep

*Size : 200/250mm (8"/10" approx)
Economy - Deluxe*



Magill Forcep

*Size : 125mm (5" approx)
Economy - Deluxe*

General Instruments



**Dissecting Forcep
(Tooth)**

*Size : 150/200mm (6"/8" approx)
Economy - Deluxe*



**Dissecting Forcep
(Plain)**

*Size : 150/200mm (6"/8" approx)
Economy - Deluxe*



**Thudicum Nasal
Speculum**



Tuning Fork

Size : 200/250mm (8"/10" approx)



B.P. Handle

Size : 3/4



Utrine Sound Sims



Curette



Tower Clip



Green Armitage

*Size : 200/250mm (8"/10" approx)
Economy - Deluxe*

Air Cushion

Features:

- Special Feature : Portable, Lightweight
- Fill Material : Rubber
- Shape : Round
- Age Range (Description) : Adult
- Material : Plastic
- Air Cushion (Invalid Air Rings), Made of Heavy duty Rubber. Size approx. 35cms, 41cms, 46cms, 50cms. Relief and comfort Air Cushion for people suffering from piles and bedsores.



Kelly's Pad

Features:

- The Kelly's pad is a disposable absorbent sheet to funnel blood to a collection pouch
- Disposable rubber Kelly's pad or a plastic collection drape.
- Made of virgin rubber.
- This eradicates the chances of infection. It is for hospital use, especially for obstetrical.
- Comes with inflating bulb and connecting tube.



Ice Bag

Features:

- Very suitable for cold therapy. You can carry any where, easy to adjust.
- Prevents swelling, inflammation, blood clot. Useful for Eyes Relief Provided with a leakage proof plastic cap. You can put small object or medicine for temperature maintain.
- Provided with a leakage proof plastic cap. You can put small object or medicine for temperature maintain.
- Skin-friendly Rubber Material, Water-Proof, Light-weight.



Catheter - Plain

Sizes

- 4Fg, 5Fg, 6Fg,
- 7Fg, 8Fg, 9Fg,
- 10Fg, 11Fg, 12Fg



Stomach Tube

Features:

- Weight : 0.500 Kg
- Dimensions : 28cm x 28cm x 6Cm
- Type : Large Animal, Small Animal



Breast Pump

Features:

- Pump type : Manual
- Included Components : Manual Breast Pump
- Colour : Orange and White
- Item Weight : 120 Grams
- Item Dimensions LxWxH : 10 x 6 x 14 Centimeters
- Style : Deluxe



ECG Electrode

Features:

- Type : with Suction Cup
- Applications : Monitoring
- Zone of use : Chest
- Use : Disposable



Enema Syringe Seamless

Features:

- Enema Syringe Higginson, in Red Colour with Rectal Nozzle & Valve
- Made up of red rubber and are available in regular size
- These are simple and easy to operate
- Easy to handle and Flexible



Ear / Ulcer Syringe

Features:

Sizes Available	2 Oz & 4 Oz
-----------------	-------------

- Material : Rubber
- Style : Regular
- Item Volume : 100 Millilitres
- Sterility Rating : Sterile



Irrigating Syringe (Asepto Syringe)

Features:

- Material : Polyvinyl Chloride (PVC)
- Style : Oral
- Sterility Rating : Sterile
- *Asepto syringe a syringe designed to fit directly into large lumen tubing.*
- *Bulb syringe a syringe with a bulb on one end; compression of the bulb creates a vacuum for gentle suction of small amounts of bodily drainage, such as oral and nasal secretions.*



Gown Cloth

Features:

- Colour : Fast Green
- Neck and Waist Ties
- Premium Quality Reusable
- Surgical Gown with Long Sleeves, Regular Fit and Round Neck Help Ensure Snug Fit.
- Machine Wash and Autoclave Material.
- Easy to Wear and Comforts Whole Day



Apron Plastic

Features:

- Size : Universal
- Colour : White
- Application : For Hospital use
- Gram Weight : 30
- Packing : Single
- Place of Origin : India
- Sterilization : Non-Sterile
- Style : General



Lab / Doctor Coat

Features:

Sizes Available		
Small	Medium	Large

- Full/Half Sleeves
- Care Instructions : Machine Wash
- Premium Quality
- Can be machine washed.
- Coat Has 3 Pockets




Patient Identification Band

Features:

- Colour : Blue, Pink
- Size : Adult
- Material : Vinyl
- Finish Type : Smooth

*Patient Identification Band Adult size for Mother.
Accurate dimension & High functionality. Durable & Easy to use.
Elegant design & Rugged construction.*



Shoe Cover Non-Woven

Description

Non-woven shoe cover made from high-quality materials and modern technologies. These shoe coverings are really comfortable, durable, and safe.

Features:

- Single use
- Can be used in the food industry, medical industry, laboratory, hospital, manufacturing, clean room, and etc.
- Material : PP Spun Bond
- Size : Universal
- Colour : Blue
- Application : For Hospital, Lab
- Gram Weight : 18 GSM
- Packing : 100pcs



Nurse Maxi

Features:

- Fabric: Blended PV or PC fabric
- Finished Collar and cuffs
- Reinforced bar tacking
- Professional Stitching.
- Customization against Standard MOQ
- Material : Poly Cotton / Polyester / Poly Viscose
- Gram Weight : 120 GSM to 250 GSM
- Style : Short Sleeve / Long Sleeve
- Size : S, M, L, XL, XXL



Disposable Non Cap

Features:

- Stretchable & Soft Material Free Size
- Disposable material environment friendly Use and throw.
- High quality Material to protect
- Soft and Hypoallergenic
- Non Woven Fabric Suitable for Industry, Surgery, Electronic, Food, Pharmacy Spa and Beauty Parlor use.



Face Mask Disposable

Features:

- Size : 17.5 x 9.5cm
- Colour : Blue and White
- Materials : Polypropylene, Non-Woven Fabric
2Ply, 3 Ply
- Packaging : 50 Masks per box



7 LED Examination Light

Features:

- Full Spectrum Colour Rendition
- Easy to move
- Cool Light
- Arm: Articulated arm with on/off switch and incorporated electronic transformer
- Length of Arm : 71 cms (approx.)
- Voltage: 220V
- Fitted with : 7x1W LED Lamp
- Colour Temperature : 4000 K Approx.
- Dome : Sheet Metal
- Base : Heavy Chrome Plated



Angle Poise Lamp (Doctor Shade Type)

Features:

- Arm : Adjustable Spring Loaded Arm app.75 cm Long
- Illumination : 75-100w incandescent Bulb (bulb will include)
- Dome : Metallic, Standard Doctor Shade Type
- Base : Standard 5 Legged Fiber Base With Wheels
- Voltage : 220V
- Epoxy Powder Coated Frame



Angle Poise Lamp (Helmet Type)

Features:

- Arm : Adjustable Spring Loaded Arm app.75 cm Long
- Illumination : 75-100w incandescent Bulb (bulb will include)
- Dome : Metallic, Standard Doctor Shade Type
- Base : Standard 5 Legged Fiber Base With Wheels
- Voltage : 220V
- Epoxy Powder Coated Frame



IV Stand Stainless Steel

Features:

- Dental Hospital Saline IV Stand
- Epoxy Coated Mild Steel I.V Stand in Ivory Color
- Height Adjustable Steel Rod
- Unbreakable Smooth hooks
- 2 - Hooks for Saline/ Fluid Bottles Due to the presence of our skilled team members, we have been able to



ICU Bed Electric



Features

- Advance Liner actuator system with IP54 Liquid splash protection (04 pcs. Motor, 01 pcs. Control box, 01 pcs. Handset, 01 pcs. Attendant Control Panel (ACP), 01 pcs. Battery)
- Heavy PP Head and Foot Panels with metal inserts along with lock and corner buffer.
- PP Moulded, Four Pieces individual Side Rails With Inbuilt Bed Angle Indicator, outer side as well as inner side.
- Framework made-up of M.S. Tubes.
- 4 Section Platform Top made-up of Oval Perforated CRCA M.S. Sheet.
- Bed Mounted on Central Locking Twin Wheel Castors.
- S.S. Telescopic I.V. Rod with 4 Hook's and Provision at 4 Locations.
- Urine Bag Holder on Both Sides.
- One Touch button for Chair Position, Emergency Head Down, Auto CPR (For Zero Position).
- Dual Side Manually Operated CPR (For Backrest).
- Calf Elevation Manually Operated.
- Slim Design, Bottom Trolley Covered by M.S. Sheet.
- Battery Backup.
- Linen Holder at Foot end.
- Positions Obtained/Function's by Patient Hand Remote: Backrest, Knee Rest, Trendelenburg & Reverse Trendelenburg, Hi-Low, Electric CPR, LED Night Lamp.
- Positions Obtained/Function's on Attendant Control Panel (ACP): Backrest, Kneerest, Trendelenburg & Reverse Trendelenburg, Hi-Low, Auto-Contour, Electric CPR, LED Night Lamp, Locking of Individual Position's, Battery Indicator.
- Finish: Pre-treated & Epoxy Powder Coated

Dimensions
Overall Size : 2230(L) x 1000(W) x 500-700(H) mm.

.Angle of Back Section : 65°

.Angle of Knee Section : 25°

.Angle of Trendelenburg/ Reverse Trendelenburg : 5°/8°

Instrument Trolley

Features:

Sizes L x W x H in (CM)		
77cm	44cm	66cm

- Stainless Steel square tubes
- Stainless Steel Top and Bottom shelves with 3 side railing on top shelf
- Trolley mounted on 100mm dia. Castors



Wheel Chair Folding (Commode) (Detachable Armrest and Footrest)

Features:

- Mild Steel Framework Made of CRC, ERW Round smooth Tubes
- Front Swivel Castors of 20 cms
- Rear Solid Tyres of 60 cms with Brakes
- Height Adjustable Footrest by screw system
- Seat Width: 50 cm (20 inch")
- Seat Depth: 41 cm (16 inch")
- Weight Carrying Capacity 100 kg.
- It Has Detachable Leg Rests.
- Powder Epoxy Coated - Black color scratch resistant.
- Foldable in width , washable fabric.



Revolving Stool (S.S. Top)

Features:

- Epoxy Coated mild steel frame work
- Height Adjustable & Revolving Top
- Ideal for Clinic, Hospital, Nursing Home
- Color : White
- Seat Material Type : MS Powder Coated
- Size : 11.5 inch Top Diameter X 20-29 inch
- Stool Top : Stainless Steel
- Item Shape : Round
- Is Assembly Required : Yes



Trolley for Oxygen Cylinder

Features:

- Frame is Made of Round Tube.
- These are Used in Transportation of Portable & Small Oxygen Cylinders.
- The Complete Trolley is Mounted on Stainless Steel Sheet Along with 2 Castors of 10cm.
- Dimensions : 30x30x160 cm
- Frame Material : Stainless Steel
- Weight : 8kg.



Visit Us At :



Head Office :

BOS Medicare Surgical

Shop No-155, Kishan Ganj Market, Old Rohtak Road
Near Kishan Ganj Railway Station, Delhi, 110007 (INDIA)

Contact No. +91-9873638572, +91-9650784117
+91-9310824995, +91-7011583636

NOW!
we are
Working
with

amazon

Flipkart



TATA



GoM

Jio Mart



Scan Me to know
more about us



www.bosmedicare.com